

Declaration of Conformity WE no 17TP/CE-13/08**Issued according to European Directive concerning Construction Products 89/106/EEC****1. Manufacturer of product:**

BUDMAT
Bogdan Więcek
09-407 Płock, ul. Otolińska 25
Production plant: 09-407 Płock, ul. Otolińska 25.

2. Name of construction product: Ceiling section BUDMAT UD 27 to be applied for construction of suspended ceilings in the system of interior dry construction from gypsum cardboard.

3. Statistical classification of construction product:

PKWiU 28.11.10-35.19

4. Usage and range of product usage:

Usage: inside buildings, installation of suspended ceiling frame.

5. Technical specification:

Polish standard 13964:2005/A1.

„Suspended ceilings. Requirements and methods of researches.”

No	Technical feature	Declared value
1	Reaction on fire	Class A1
2	Durability	Corrosion protection class – A
3	Material	DX51D
4	Steel sheet thickness	0,50; 0,55; 0,60
5	Dimensions	27/28,2/27; 26/28,2/26
6	Type of coating	Z100 – Z275

6. Declared technical features of product type:

Sections from galvanized steel for dry construction may be applied in environment of corrosion category C1, C2.

Detailed technical features are in accordance with specification available with product pack.

7. Name and number of accredited certifying bodies or laboratories and certificate number or report number from the researches of the type, if this body took part in the applicable system of building product conformity estimation:

Building Research Institute:

Department of Research on Lightweight Partitions and Glazing NL-1179/01, NL-4078/P/06

Department of Durability and Protection of Building NO-2/819/A/2008

Conformity Certificate ITB No-1272/W

I declare with full responsibility that the building product is coherent with technical specification described in point no 5.

Płock July 27th, 2008

H.M.B. "BUDMAT"
KIEROWNIK
Działu Rozcinania i Pielęgnowania Blach
.....
Podpis osoby upoważnionej